



DPW

PATENT  
Customer No. 22,852  
Attorney Docket No. 07377.0011

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

|                             |   |  |
|-----------------------------|---|--|
| In re Application of:       | ) |  |
|                             | ) | <b>Notice of Allowance Dated: 06/10/04</b> |
| Ziwen W. LIU et al.         | ) |  |
|                             | ) | <b>Confirmation No. 6794</b>               |
| Application No.: 10/629,747 | ) |  |
|                             | ) | Group Art Unit: 3662                       |
| Filed: July 30, 2003        | ) |  |
|                             | ) | Examiner: Dao Linda Phan                   |
| For: PRECISION POSITIONING  | ) |  |
| AGM SYSTEM                  | ) |  |

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

**SUBMISSION OF FORMAL DRAWING**

Subject to the approval of the Examiner, please replace the informal drawings with the one (1) sheet of formal drawing filed herewith (Replacement Sheet - Figure 1). If the formal drawing for any reason is not in full compliance with the pertinent statutes and regulations, please so advise the undersigned.

If any fees are necessary for the submission of this formal drawing, please charge our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,  
GARRETT & DUNNER, L.L.P.

Dated: July 15, 2004

By: Clair X. Mullen, Jr.  
Clair X. Mullen, Jr.  
Reg. No. 20,348